

Group Art Unit: 1633

O TO TO TO

In re application of: ALDERSON et al.

Application Serial No.: 09/499,468

Filed: February 7, 2000 Examiner: Sorbello, E.

Title: Vascular Endothelial Growth Factor-2 Atty. Docket No.: PF112U1

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT PURSUANT TO 37 § CFR 1.56

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

In accordance with the duty of disclosure imposed by 37 C.F.R. § 1.56 to inform the Patent and Trademark Office of all references coming to the attention of each individual associated with the filing or prosecution of the subject application, which are or may be material to the patentability of a claim of the subject application, Attorneys for Applicants hereby direct the Examiner's attention to references FU-FW listed on the attached Form PTO/SB/08A. A copy of each of reference(s) FU-FW is enclosed.

The above information is presented so that the Patent and Trademark Office can determine any materiality thereof to the claimed invention. See 37 CFR §§ 1.104(a) concerning the PTO duty to consider and use any such information. It is respectfully requested that the information be considered during the prosecution of this application.

Identification of the listed reference(s) is not to be construed as an admission of any individual associated with the filing or prosecution of the subject application that such references are available as "prior art" against the subject application. Furthermore, Applicants do not waive any rights to appropriate action to establish patentability over any of the listed documents should they be applied as references against the claims of the subject application.

Applicants respectfully request that the Examiner review the listed reference(s) and that the reference(s) be made of record in the file history of the application.

Pursuant to 37 C.F.R. § 1.97(b), since this information disclosure statement is being filed before the mailing date of a first Office Action on the merits, no fee is due in connection herewith. However, should the Patent Office determine otherwise, please charge the required fee to Human Genome Sciences, Inc., deposit account no. 08-3425. A Fee Transmittal is also enclosed.

Respectfully submitted,

Dated: 12(20)01

Michele M. Wales

(Reg. No. 43,975)

Attorney for Applicants

Human Genome Sciences, Inc.

9410 Key West Avenue Rockville, Maryland 20850 Telephone: (301) 610-5772

Enclosures MMW/AKR/lcc

Pending US Cases: PF112U1 - can file the us with 11-30 response. Refer back.
PF112P4 - only needs the mass recent Alitalo Dec. - can be filed in the response that is going out in Nov.

PF112/D2C1 PF112/P6

PF112P2D1/D1

PF112P2D2/P2D2

PF112P3/D1C1

PF112P3/P3US

IDS References:

	1.12-2.11		T	100 00 1
	US Pat No.		<u>Name</u>	Date of Pub.
1	5,326,695		Andersson et al.	07-05-1994
2	5,073,492		Chen et al.	12-17-1991
3	5,607,918		Eriksson et al.	03-04-1997
4	5,840,693 B1		Eriksson et al.	11-24-1999
5	5,240,848		Keck et al.	08-31-1993
6	5,283,354		Lemischka	02-01-1994
7	5,633,147		Meissner et al.	05-27-1999
8	5,234,908		Szabo et al.	08-10-1993
9	5,861,301 B1		Terman et al.	01-19-1999
10	5,194,596		Tischer et al.	03-16-1993
11	5,219,739		Tischer et al.	06-15-1993
12	08/340011		OEC SIL	11/1994
13	08/510133		2, 7,	08/1995
14	08/585895		Szabo et al. Terman et al. Tischer et al. Tischer et al. DEC 2007	01/1996
15	08/601132		C 7. 307	02/1996
16	08/671573		170	06/1996
17	60/003491		00	09/1995
18	08/554374			11/1995

	Foreign Pat No.	Coun	Name	Date of Pub.
19	92/14748	PCT	American Cyanamid Co.	09-03-1992
20	0-476983 A1	EP	Bayne, et al.	03-25-1992
21	0-506477 A1	EP	Bayne, et al.	09-30-1992
22	98/49300	PCT	Collateral Therapeutics	11-05-1998
23	710696	lau	Genentech, Inc.	09-30-1999
24	97/09427	PCT	Genentech, Inc.	03-13-1997
		South		***
25	94/3464	Africa	Human Genome Sciences, Inc.	01-31-1996
26	99/46364	PCT	Human Genome Sciences, Inc.	09-16-1999
27	96/39515	PCT	Human Genome Sciences, Inc.	12-12-1996
28	96/05856	PCT	Human Genome Sciences, Inc.	02-29-1996
29	95/24414	PCT	Human Genome Sciences, Inc.	09-14-1995
30	95/19985	PCT	Human Genome Sciences, Inc.	07-27-1995
31	98/06844	PCT	Human Genome Sciences, Inc.	02-19-1998
32	97/17442	PCT	Immunex Corporation	05-15-1997
33	98/33917	PCT	Ludwig Institute for Cancer Research/Univ. Helsinki Licensing Ltd.	06-08-1998
_			Ludwig Institute for Cancer Research/Univ. Helsinki Licensing Ltd.	02-25-1999
34	99/08522	IPCI		
34 35	99/08522 98/07832	PCT		02-26-1998
35	98/07832	PCT	Ludwig Institute for Cancer Research/Univ. Helsinki Licensing Ltd. Oy	
35 36	98/07832 98/56936	PCT PCT	Ludwig Institute for Cancer Research/Univ. Helsinki Licensing Ltd. Oy Max-Planck-Gesellschaft Zur Forderung Der Wissenschaften E.V.	12-17-1998
35	98/07832	PCT	Ludwig Institute for Cancer Research/Univ. Helsinki Licensing Ltd. Oy	

40	98/24811	PCT	ZymoGenetics, Inc.	06-11-1998
			Ott. D	
		_	Other Documents	
			ACHEN et al., "Vascular endothelial growth factor D (VEGF-D) is a ligand for the	
			tyrosine kinases VEGF receptor-2 (Flk1) and VEGF receptor-3 (Flt4)," Proc. Natl.	
41			Acad. Sci. (USA), 95(2): 548-553 (1998).	
			Alderson, R. F., Yourey, P. A., and Su, J. Y. (1999) Vascular endothelial cell	
	1 1		growth factor (VEGF)-2 enhances the development of rat photoreceptor cells in	1
	*		vitro. Keystone Symposia, Ocular Cell and Molecular Biology, 202. (Abstract	
42	<u></u>		provided)	retina
			ANDERSSON et al., "Assignment of interchain disulfide bonds in platelet-derived	
			growth factor (PDGF) and evidence for agonist activity of monomeric PDGF," J.	
43			Biol. Chem., 267(16): 11260-11266 (1992).	
44			ANDERSSON W.F., "Human gene therapy," Science, 256:808-813 (1992).	
			APRELIKOVA et al, "Flt4, a novel class III receptor tyrosine kinase in	İ
45			chromosome 5q33-qter," Cancer Research, 52: 746-748 (1992).	
			BELL et al., "Human epidermal growth factor precursor: cDNA sequence,	
			expression in vitro and gene organization," Nucl. Acids Res. 14(21): 8427-8446	1
46	L		(1986).	
			BELLOMO et al., "Mice Lacking the Vascular Endothelial Growth Factor-B Gene	
		İ	(Vegfb) Have Smaller Hearts, Dysfunctional Coronary Vasculature, and Impaired	
			Recovery From Cardiac Ischemia," Circ. Research 89(2): e29-e35 (2000).	
47				
			BERSE et al., "Vascular Permeability Factor (Vascular Endothelial Growth Factor)	
			Gene is Expressed Differentially in Normal Tissues, Macrophages, and Tumors, "	
48			Mol. Biol. Cell., 3:211-220 (1992).	
		1	BETSHOLTZ et al., "cDNA Sequence and Chromosomal Localization of Human	
	1		Platelet-Derived Growth Factor A-Chain and Its Expression in Tumor Cell Lines, "	
49	1		Nature , 320(24): 695-699 (1986).	
_			BREIER et al., "Expression of Vascular Endothelial Growth Factor During	
			Embryonic Angiogenesis and Endothelial Cell Differentiation," Development,	
50			114:521-532 (1992).	
-			CLAFFEY et al., "Vascular Endothelial Growth Factor," J. Biol. Chem., 267(23):	· -
51			16317-16322 (1992)	
-			COCKERILL et al., "Angiogenesis: Models and Modulators" Intl. Rev. Cytology,	
52			159:113-160 (1995).	
32		_	CORSON et al. "Fibrillin binds calcium and is coded by cDNAs that reveal a	
			multidomain structure and alternatively spliced exons at the 5' end," Genomics,	
53			17:476-484 (1993).	
00	 		DIGNAM et al , "Balbiani ring 3 in chironomus tentans encodes a 185-kDa	
			secretory protein which is synthesized throughout the fourth larval instar," <i>Gene</i>	
54			88:133-140 (1990).	
34		+	EICHMANN et al., "Avian VEGF-C: cloning, embryonic expression pattern and	
			stimulation of the differentiation of VEGFR2-expressing endothelialcell precursors,	
55			Development, 125(4): 743-752 (1998).	
აა		-	Development, 125(4). 145-152 (1550).	
			EEDDADA at al. "Malagular and Biological Proportion of the Vacquiar Endathalial	
			FERRARA et al. "Molecular and Biological Properties of the Vascular Endothelial	1
56		_	Growth Factor Family of Proteins," <i>Endocrine Rev.</i> , 13(1): 18-32 (1992).	
			FERRARA et al. "The vascular endothelial growth factor family of polypeptides," J.	1
57			Cellular Biochemistry 47:211-218 (1991).	
			FINNERTY et al., "Molecular Cloning of Murine FLT and FLT4, " Oncogene,	
58			8(11):2293-2298 (1993).	
			FRIEDMAN, T., "A brief history of gene therapy," Nat. Genetics, 2:93-98 (1992).	
59				L

GAMBLE et al., "Regulation of In Vitro Capillary Tube Formation by Anti-Integrin Antibodies," J. Cell. Bio., 121(4): 931-943 (1993). GEORGE et al., "Current methods in sequence comparision and analysis," Macromolecular Seq. and Syn. Selected Meth - Application (Alan R. Liss), pp. 127-149 (1998). GOLDSPIEL et al., "Human Gene Therapy," Clinical Pharmacy 12: 488-505 (1993). GRIMMOND et al., "Cloning and Characterization of a Novel Human Gene Related to Vascular Endothelial Growth Factor," Genome Research, 6:124-131 (1996). GUZMAN et al. "Efficient gene transfer into myocardium by direct injection of adenovirus vectors," Circ. Res., 73:1202-1207 (1993). HELDIN et al., "Structure of Platelet-Derived Growth Factor: Implications for Functional Properties." Growth Factors, 8:245-252 (1993) HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al.," A novel vascular endothelial growth factor, VEGF-C, is a ligand for the FIt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al.," Proteolytic processing regulates receptor specificity and activity of VEGF-C," EMBO J., 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246:1309 (1986). KUKK et al., "Vescular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246:1309 (1986). LEE et al., "Va	
GEORGE et al., "Current methods in sequence comparision and analysis," Macromolecular Seq. and Syn. Selected Meth - Application (Alan R. Liss), pp. 127- 149 (1998). GOLDSPIEL et al., "Human Gene Therapy," Clinical Pharmacy 12: 488-505 (1993). GRIMMOND et al., "Cloning and Characterization of a Novel Human Gene Related to Vascular Endothelial Growth Factor," Genome Research, 6:124-131 (1996). GUZMAN et al. "Efficient gene transfer into myocardium by direct injection of adenovirus vectors," Circ. Res., 73:1202-1207 (1993). HELDIN et al., "Structure of Platelet-Derived Growth Factor: Implications for Functional Properties." Growth Factors, 8:245-252 (1993) HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Flid (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Thorelolytic processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VegF-C receptor binding and pattern of expression with VEGFR-3 suggests a rol	
Macromolecular Seq. and Syn. Selected Meth - Application (Alan R. Liss), pp. 127- 149 (1993). GOLDSPIEL et al., "Human Gene Therapy," Clinical Pharmacy 12: 488-505 (1993). GRIMMOND et al., "Cloning and Characterization of a Novel Human Gene Related to Vascular Endothelial Growth Factor," Genome Research, 6:124-131 (1996). GUZMAN et al., "Efficient gene transfer into myocardium by direct injection of adenovirus vectors," Circ. Res., 73:1202-1207 (1993). HELDIN et al., "Structure of Platelet-Derived Growth Factor: Implications for Functional Properties." Growth Factors, 8:245-252 (1993) HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Flt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolylic processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3988-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VeGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in hymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor Fil4." P	
GLDSPIEL et al., "Human Gene Therapy," Clinical Pharmacy 12: 488-505 (1993). GRIMMOND et al., "Cloning and Characterization of a Novel Human Gene Related to Vascular Endothelial Growth Factor," Genome Research, 6:124-131 (1996). GUZMAN et al., "Efficient gene transfer into myocardium by direct injection of adenovirus vectors," Circ. Res., 73:1202-1207 (1993). HELDIN et al., "Structure of Platelet-Derived Growth Factor: Implications for Functional Properties." Growth Factors, 8:245-252 (1993) HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11; 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Flt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolytic processing regulates receptor specificity and activity of VEGF-C," EMBO J., 16(13): 3888-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KCK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF." Science, 246: 1309 (1989). KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VegF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development." Development, 122: 3829-37 (1996).	
GOLDSPIEL et al., "Human Gene Therapy," Clinical Pharmacy 12: 488-505 (1993). GRIMMOND et al., "Cloning and Characterization of a Novel Human Gene Related to Vascular Endothelial Growth Factor," Genome Research, 6:124-131 (1996). GUZMAN et al. "Efficient gene transfer into myocardium by direct injection of adenovirus vectors," Circ. Res., 73:1202-1207 (1993). HELDIN et al., "Structure of Platelet-Derived Growth Factor: Implications for Functional Properties." Growth Factors. 8:245-252 (1993). HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor. VEGF-C, is a ligand for the FIH4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolytic processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPANINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FII4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
GRIMMOND et al., "Cloning and Characterization of a Novel Human Gene Related to Vascular Endothelial Growth Factor," Genome Research, 6:124-131 (1996). GUZMAN et al. "Efficient gene transfer into myocardium by direct injection of adenovirus vectors," Circ. Res., 73:1202-1207 (1993). HELDIN et al., "Structure of Platelet-Derived Growth Factor: Implications for Functional Properties." Growth Factors, 8:245-252 (1993) HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Filt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolylic processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilla B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(6): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 19	
GRIMMOND et al., "Cloning and Characterization of a Novel Human Gene Related to Vascular Endothelial Growth Factor," Genome Research, 6:124-131 (1996). GUZMAN et al. "Efficient gene transfer into myocardium by direct injection of adenovirus vectors," Circ. Res., 73:1202-1207 (1993). HELDIN et al., "Structure of Platelet-Derived Growth Factor: Implications for Functional Properties." Growth Factors, 8:245-252 (1993) HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the FII4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolytic processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(6): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996).	
to Vascular Endothelial Growth Factor," Genome Research, 6:124-131 (1996). GUZMAN et al., "Efficient gene transfer into myocardium by direct injection of adenovirus vectors," Circ. Res., 73:1202-1207 (1993). HELDIN et al., "Structure of Platelet-Derived Growth Factor: Implications for Functional Properties." Growth Factors, 8:245-252 (1993). HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel regulatory function of proteolytically cleaved VEGF-2, is a ligand for the FIt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "A novel rescular endothelial growth factor, VEGF-C, is a ligand for the FIt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolytic processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VeGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related	
GUZMAN et al. "Efficient gene transfer into myocardium by direct injection of adenovirus vectors," Circ. Res., 73:1202-1207 (1993). HELDIN et al., "Structure of Platelet-Derived Growth Factor: Implications for Functional Properties," Growth Factors. 8:245-252 (1993) HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the FII4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolytic processing regulates receptor specificity and activity of VEGF-C," EMBO J., 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4." Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
GUZMAN et al. "Efficient gene transfer into myocardium by direct injection of adenovirus vectors," Circ. Res., 73:1202-1207 (1993). HELDIN et al., "Structure of Platelet-Derived Growth Factor: Implications for Functional Properties." Growth Factors, 8:245-252 (1993) HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Flt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolytic processing regulates receptor specificity and activity of VEGF-C," EMBO J., 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 252:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor Flt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
adenovirus vectors," Circ. Res., 73:1202-1207 (1993). HELDIN et al., "Structure of Platelet-Derived Growth Factor: Implications for Functional Properties." Growth Factors. 8:245-252 (1993) HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the FIt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolytic processing regulates receptor specificity and activity of VEGF-C," EMBO J., 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
HELDIN et al., "Structure of Platelet-Derived Growth Factor: Implications for Functional Properties." <i>Growth Factors</i> . 8:245-252 (1993) HOCKEL et al., "Therapeutic angiogenesis," <i>Arch. Surg.</i> , 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," <i>FASEB J.</i> , 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," <i>Nature</i> 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Flt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," <i>EMBO J.</i> , 15(2): 290-298 (1996). JOUKOV et al., "Proteolytic processing regulates receptor specificity and activity of VEGF-C," <i>EMBO J.</i> 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," <i>J. Exp. Med.</i> , 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," <i>Science</i> 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," "Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," <i>Somatic Cell and Molecular Genetics</i> 19(5): 491-497 (1993). KUKK et al., "VScience, 26: 1309 (1989) KUKK et al., "VScience, 26: 1309 (1989) KUKK et al., "VScience, 26: 1309 (1989) LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor Flt4," <i>Proc. Natl. Acad. Sci.</i> (<i>USA</i>), 93: 1988-1992 (1996).	
Functional Properties." Growth Factors, 8:245-252 (1993) HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the FIt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolyitic processing regulates receptor specificity and activity of VEGF-C," EMBO J., 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp., Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
HOCKEL et al., "Therapeutic angiogenesis," Arch. Surg., 128:423-429 (1993). HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Flt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolyitc processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor Flt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Flt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolyitic processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor Flt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
HU et al., "A novel regulatory function of proteolytically cleaved VEGF-2 for vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Flt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolyitc processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor Flt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
vascular endothelial smooth muscle cells," FASEB J., 11: 498-504 (1997). HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Flt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolyitc processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor Flt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
HYDE et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," Nature 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Fit4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolyitc processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
mice by gene therapy," <i>Nature</i> 362: 250-255 (1993). JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the FIt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," <i>EMBO J.</i> 15(2): 290-298 (1996). JOUKOV et al., "Proteolyitc processing regulates receptor specificity and activity of VEGF-C," <i>EMBO J.</i> 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," <i>J. Exp. Med.</i> , 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," <i>Science</i> 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," <i>Science</i> , 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," <i>Somatic Cell and Molecular Genetics</i> 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," <i>Development</i> , 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," <i>Proc. Natl. Acad. Sci. (USA)</i> , 93: 1988-1992 (1996).	
JOUKOV et al., "A novel vascular endothelial growth factor, VEGF-C, is a ligand for the FIt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolyitc processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
for the FIt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases," EMBO J., 15(2): 290-298 (1996). JOUKOV et al., "Proteolyitc processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
15(2): 290-298 (1996). JOUKOV et al., "Proteolyitc processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
JOUKOV et al., "Proteolyitc processing regulates receptor specificity and activity of VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	i
VEGF-C," EMBO J. 16(13): 3898-3911(1997). KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," J. Exp. Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
KAIPAINEN et al., "The Related FLT4, FLT1 and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells," <i>J. Exp. Med.</i> , 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," <i>Science</i> 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," <i>Science</i> , 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," <i>Somatic Cell and Molecular Genetics</i> 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," <i>Development</i> , 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," <i>Proc. Natl. Acad. Sci.</i> (USA), 93: 1988-1992 (1996).	
Show Distinct Expression Patterns in Human Fetal Endothelial Cells," <i>J. Exp. Med.</i> , 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," <i>Science</i> 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," <i>Science</i> , 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," <i>Somatic Cell and Molecular Genetics</i> 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," <i>Development</i> , 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," <i>Proc. Natl. Acad. Sci.</i> (<i>USA</i>), 93: 1988-1992 (1996).	
71 Med., 178:2077-2088 (1993). KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
KAY et al., "In Vivo Gene Therapy of Hemophilia B: Sustained Partial Correction in Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
Factor IX-Deficient Dogs," Science 262:117-119 (1993). KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
KECK et al., "Vascular permeability factor, an endothelial cell mitogen related to PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
73 PDGF," Science, 246: 1309 (1989) KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
KOLODKA et al., "Hepatic Gene Therapy: Efficient Retroviral-Mediated Gene Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
Transfer into Rat Hepatocytes in Vivo," Somatic Cell and Molecular Genetics 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
74 19(5): 491-497 (1993). KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor FIt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
KUKK et al., "VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development," <i>Development</i> , 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor Flt4," <i>Proc. Natl. Acad. Sci.</i> (USA), 93: 1988-1992 (1996).	
suggests a role in lymphatic vascular development," Development, 122: 3829-37 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor Flt4," Proc. Natl. Acad. Sci. (USA), 93: 1988-1992 (1996).	
75 (1996). LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor Flt4," <i>Proc. Natl. Acad. Sci.</i> (USA), 93: 1988-1992 (1996).	
LEE et al., "Vascular Endothelial Growth Factor-Related Protein: a ligand and specific activator of the tyrosine kinase receptor Flt4," <i>Proc. Natl. Acad. Sci.</i> (USA), 93: 1988-1992 (1996).	
specific activator of the tyrosine kinase receptor Flt4," <i>Proc. Natl. Acad. Sci.</i> (USA), 93: 1988-1992 (1996).	
76 (<i>USA</i>), 93: 1988-1992 (1996).	
LEUNG et al., "Vascular Endothelial Growth Factor is a Secreted Angiogenic	
77 Mitogen," Science , 246: 1306-1309 (1989).	
LITWIN et al., "Role of Cytokines in Endothelial Cell Functions," Human Cytokines	
78 101-129.	
MAGLIONE et al., "Isolation of a Human Placenta cDNA Coding for a Protein	
Related to the Vascular Permeability Factor," <i>Proc. Natl. Acad. Sci. (USA)</i> , 88:	
79 9267-9271 (1991).	
MAGLIONE et al., "Two Alternative mRNAs Coding for the Angiogenic Factor,	
Placenta Growth Factor (PIGF) are transcribed fro a single gene of Chromosome	
80 14," Oncogene, 8:925-931 (1993).	
MASSAGUE J., "The transforming growth factor-beta family." Annu. Rev. Cell.	
81 Biol. 6: 597-641 (1990).	

	MATTHEWS et al., "A receptor tyrosine kinase cDNA isolated from a population of
	enriched primitive hematopoietic cells and exhibiting close genetic linkage to c-kit,"
82	Proc. Natl. Acad. Sci. (USA), 88:9026-9030 (1991).
	MILLAUER et al., "Glioblasotoma growth inhibited in vivo by a dominant-negative
83	Flk-1 mutant," Nature , 367: 576-579 (1994).
	MILLAUER et al., "High Affinity VEGF binding and developmental expression
	suggest Fik-1 as a major regulator of vasculogenesis and angiogenesis," Cell , 72:
84	835-846 (1993).
	PAJUSOLA et al., "FLT4 receptor tyrosine kinase contains seven immunoglobulin-
	like loops and is expressed in multiple human tissues and cell lines," Cancer
85	Res., 52: 5738-5743 (1992).
	PAJUSOLA et al., "Two human FLT4 receptor tyrosine kinase isoforms with distinct carboxy terminal tails are produced by alternative processing of primary
86	transcripts," Oncogene 8:2931-2937 (1993).
86	transcripts, Oncogene 6.2931-2931 (1993).
	PAULSSON et al., "The balbiani ring 3 gene in chironomus tentans has a diverged
87	repetitive structure split by many introns," <i>J. Mol. Biol.</i> , 211: 331-349 (1990).
	SHIBUYA et al., "Nucleotide sequence and expression of a novel human receptor-
	type tyrosine kinase gene (fft) closely related to the fms family," Oncogene 519-
88	524 (1990).
	SiLINS et al., "Analysis of the Promoter Region of the Human VEGF-Related
	Factor Gene," Biochem. Biophys. Res. Comm. 230: 413-418 (1997).
89	
	STEWART et al., "Insulin delivery by somatic cell gene therapy," J of Mol.
90	Endocrinology 11: 335-341 (1993).
	TANAKA et al., "DNA sequence encoding the amino-terminal retion of the human c
	src protein: implications of sequence divergence among src-type kinase
91	oncogenes," <i>Mol. Cell. Biol.</i> , 7(5): 1978-1983 (1987).
92	TERMAN et al., "Identification of New Endothelial Cell Growth Factor Receptor Tyrosine Kinase," <i>Oncogene</i> , 6: 1677-1683 (1991).
92	TERMAN et al., "Identification of the KDR tyrosine kinase as a receptor for
	vascular endothelial cell growth factor," <i>Biochem. Biophys. Res. Commun.</i> , 187(3):
93	1579-1586 (1992).
33	TISCHER et al., "Vascular endothelial growth factor: A new member of the platelet
	derived growth factor gene family," Biochem. & Biophys. Res. Comms. 165(3):
94	1198-1206 (1989).
	TISCHER, et al., "The human gene for vascular endothelial growth factor. Multiple
	Protein Forms are Encoded through Alternative Exon Splicing,"J. Biol. Chem.,
95	266(18): 11947-11954 (1991).
	TOWNSON et al., "Characterization of the Murine VEGF-Related Factor Gene,"
96	Biochem. & Biophys. Res. Comms. 220: 922-928 (1996).
	TSUJIMOTO et al., "Analysis of the structure, transcripts, and protein products of
	bcl-2, the gene involved in human follicular lymphoma," <i>Proc. Natl. Acad. Sci</i>
97	(USA), 83: 5214-5218 (1986).
00	WALSH et al., "Gene Therapy for Human Hemoglobinopathies," P.S.E.B.M. 204:
98	289-300 (1993). WILLIAMS, R.S. "Southwestern internal medicine conference: prospects for gene
	therapy of ischemic heart disease," <i>Am. J. Med. Sci.</i> , 306(2): 129-136 (1993).
99	anotapy of isomotine fleat disease, Ann. v. Micu. Soc., 500(2). 125-100 (1000).
	Yourey, P. A., Gohari, S., Su, J. Y. and Alderson, R. F. (2000) Vascular Endothelial
	Cell Growth Factors Promote the In Vitro Development of Rat Photoreceptor Cells.
100	J. Neuroscience, 20: 6781 - 6788.
	j.e.i.va

	D. (4000) Van I. F. (4000) Van II. F. (4000) Van I. F. (4000) Van I. F. (
	Yourey, P. A., Gohari, S., and Alderson, R. F., (1999) Vascular Endothelial Cell
	Growth Factor (VEGF)-2 Enhances the Development of Rat Photoreceptor Cells In
101	Vitro. Soc. Cell Biology, 227. (Abstract provided) retina
	GenBank Accession No. AJ000185, ACHEN et al., "Vascular endothelial growth
102	factor-D." February 11, 1998.
	GenBank Accession No. D88689, FINNERTY et al., "Mus musculus mRNA for flt-
103	1, complete cds," April 14, 2000.
	GenBank Accession No. K03212, ANDERSSON et al., "Human c-src-1 proto-
104	oncogene exon 6." January 13, 1995.
	GenBank Accession No. K03213, ANDERSSON et al., "Human c-src-1 proto-
105	oncogene exon 7." January 13, 1995.
	GenBank Accession No. K03214, ANDERSSON et al., "Human c-src-1 proto-
106	oncogene exon 8." January 13, 1995.
	GenBank Accession No. K03215, ANDERSSON et al., "Human c-src-1 proto-
107	oncogene exon 9." January 13, 1995.
	GenBank Accession No. K03216, TANAKA et al., "Human c-src-1 proto-oncogene
108	exon 10." January 13, 1995.
100	GenBank Accession No. K03217, TANAKA et al., "Human c-src-1 proto-oncogene
109	exon 11." January 13, 1995.
109	GenBank Accession No. K03218, TANAKA et al., "Human c-src-1 proto-oncogene
110	exon 12." January 13, 1995.
110	GenBank Accession No. L04947, TERMAN et al., "Homo sapiens (clones
	BT3.081.0, BT3.129.5, and BT4.169) receptor tyrosine kinase (KDR) mRNA, 3'
111	end cds." January 6, 1995.
	GenBank Accession No. L07296, FINNERTY et al., "Mus musculus receptor
112	tyrosine kinase (FLT4) mRNA," August 9, 1993
	GenBank Accession No. L19896, CORSON et al., "Human fibrillin (FBN1) gene, 5'
113	end including alternative exons A, B, C, and exon M." November 8, 1994.
	GenBank Accession No. L22473, OLTVAI et al., "Human Bax alpha mRNA,
114	complete cds." December 15, 1993.
	GenBank Accession No. L22474, OLTVAI et al., "Human Bax beta mRNA,
115	complete cds." December 15, 1993.
	GenBank Accession No. M13994, TSUJIMOTO et al., "Human B-cell
	leukemia/lymphoma 2 (bcl-2) proto-oncogene mRNA encoding bcl-2-alpha protein,
116	complete cds." October 31, 1994.
	GenBank Accession No. M13995, TSUJIMOTO et al., "Human B-cell
	leukemia/lymphoma 2 (bcl-2) proto-oncogene mRNA encoding bcl-3-beta protein,
117	complete cds." October 31, 1994.
	GenBank Accession No. M16237, TANAKA et al., "Human c-src-1 proto-oncogene
118	exon 2." January 13, 1995.
	GenBank Accession No. M16243, TANAKA et al., "Human c-src-1 proto-oncogene
119	exon 3." January 13, 1995.
	GenBank Accession No. M16244, TANAKA et al., "Human c-src-1 proto-oncogene
120	exon 4." January 13, 1995.
120	GenBank Accession No. M16245, TANAKA et al., "Human c-src-1 proto-oncogene
121	exon 5." January 13, 1995.
161	0.0.10. Validary 10, 1000.
	GenBank Accession No. M24160, DIGNAM et al., "C. tentans 185-kD secretory
122	protein (sp185) mRNA, partial cds, clone pCt185." April 26, 1993.
122	protein (sp 100) hirtiga, paniar cus, cione pot100. April 20, 1995.
	lo p la la la Managa Bionata de la la la la la la la la la la la la la
	GenBank Accession No. M24276, DIGNAM et al., "C. tentans 140-kd secretory
123	protein (sp140) mRNA, partial cds, clone pCt140.1," April 26, 1993.

	GenBank Accession No. M24277, DIGNAM et al., "C. tentans 140-kd secretory
124	protein (sp140) mRNA, partial cds, clone pCt140.2," April 26, 1993.
124	GenBank Accession No. M27281, KECK et al., "Vascular Permeability Factor
125	mRNA, Compete cds." August 3, 1993.
123	GenBank Accession No. M63971, TISCHER et al., "Human Vascular endothelial
126	growth factor gene, exon 1." August, 1993.
120	GenBank Accession No. M63972, TISCHER et al., "Human Vascular endothelial
127	growth factor gene, exon 2." August, 1993.
127	GenBank Accession No. M63973, TISCHER et al., "Human Vascular endothelial
128	growth factor gene, exon 3." August, 1993.
120	GenBank Accession No. M63974, TISCHER et al., "Human Vascular endothelial
129	growth factor gene, exon 4." August, 1993.
123	GenBank Accession No. M63975, TISCHER et al., "Human Vascular endothelial
130	growth factor gene, exon 5." August, 1993.
100	GenBank Accession No. M63976, TISCHER et al., "Human Vascular endothelial
131	growth factor gene, exon 6." August, 1993.
101	GenBank Accession No. M63977, TISCHER et al., "Human Vascular endothelial
132	growth factor gene, exon 7." August, 1993.
102	GenBank Accession No. M63978, TISCHER et al., "Human Vascular endothelial
133	growth factor gene, exon 8." August, 1993.
100	GenBank Accession No. M95200, CLAFFEY et al., "Mouse vascular endothelial
134	growth factor mRNA, complete cds." April 27, 1993.
104	GenBank Accession No. S57152, MAGLIONE et al., "Placenta growth factor 2
135	(PIGF-2 specific exon 6)." March 5, 2001.
103	GenBank Accession No. X04571, BELL et al., "Human mRNA for kidney epidermal
136	growth factor (EGF) precursor." March 21, 1995.
100	GenBank Accession No. X52263, PAULSSON et al., "C. tentans balbiani ring 3
137	(BR3) gene." December 18, 1992.
101	GenBank Accession No. X54936, MAGLIONE et al., "H. sapiens mRNA for
138	placenta growth factor (PIGF)," November 12, 1991.
100	GenBank Accession No. X59397, MATTHEWS et al., "Mouse FLk-1 mRNA for a
139	tyrosine kinase receptor." November 6, 1991.
	GenBank Accession No. X63556, CORSON et al., "H. sapiens mRNA for fibrillin."
140	February 17, 1997.
	GenBank Accession No. X68203, APRELIKOVA et al., "H. sapiens mRNA for
141	FLT4, Class III Receptor Tyrosine Kinase." November 30, 1993.
142	International Search Report, Application No. PCT/US94/05291.
143	International Search Report, Application No. PCT/US99/05021.
144	Statutory Declaration of Peter Adrian Walton Rogers, and exhibit 1
145	Statutory Declaration of Kari Alitalo, and exhibits 1-3 (02/2000)
146	Statutory Declaration of Francis John Ballard and exhibit1
147	Statutory Declaration of Kari Alitalo, and exhibits 1-2 (09/2001)
148	NOT INCLUDED:
149	Statutory Declaration of John Stanley Mattick, and Exhibits JSM1-JSM4
150	Statutory Declaration of Nicholas Kim Hayward, and Exhibits NKH1-2
151	Statutory Declaration of Jennifer Ruth Gamble and Exhibits JRG1-3
	Statutory Declaration of Tom Rapoport and Exhibits TP1-2
	Statutory Declaration of Stuart A. Aaronson and Curriculum Vitae of Stuart A.
152	Aaronson
153	Statutory Declaration of Susan Power, Appendices 1-2 and Figure 1
154	Statutory Declaration of Gary Baxter Cox and Exhibits GBC-1 – GBC 23.
155	
155	
156	